

Table A14 Number of Deaths and Death Rate by Major Cancer Disease Group by Sex 1991 to 2000

Detailed List No. ICD 9th Revision	Disease Group	Sex	Number of Deaths										Number of Deaths per 100 000 Population									
			1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	1991	1992	1993	1994	1995	1996*	1997*	1998*	1999*	2000*
147	Malignant neoplasm of nasopharynx	M	334	345	342	303	298	286	331	337	286	294	11.4	11.7	11.5	10.0	9.7	8.9	10.2	10.4	8.8	9.0
		F	129	87	111	95	90	75	94	102	85	86	4.6	3.0	3.8	3.2	2.9	2.3	2.9	3.1	2.5	2.5
150	Malignant neoplasm of oesophagus	M	298	308	334	303	296	298	333	292	300	330	10.1	10.5	11.2	10.0	9.6	9.3	10.3	9.0	9.2	10.1
		F	61	59	58	66	71	71	64	62	66	69	2.2	2.1	2.0	2.2	2.3	2.2	2.0	1.9	2.0	2.0
151	Malignant neoplasm of stomach	M	376	342	352	351	367	363	401	409	431	391	12.8	11.6	11.8	11.5	11.9	11.3	12.4	12.6	13.2	11.9
		F	207	217	200	236	218	222	245	247	268	261	7.4	7.6	6.9	7.9	7.1	6.9	7.5	7.5	8.0	7.7
153	Malignant neoplasm of colon	M	275	337	368	365	421	403	434	431	434	476	9.4	11.4	12.3	12.0	13.6	12.5	13.4	13.3	13.3	14.5
		F	310	285	301	316	359	371	374	453	420	419	11.0	10.0	10.3	10.5	11.7	11.5	11.5	13.8	12.6	12.4
154	Malignant neoplasm of rectum, rectosigmoid junction and anus	M	181	192	178	248	247	234	265	260	267	267	6.2	6.5	6.0	8.2	8.0	7.3	8.2	8.0	8.2	8.1
		F	135	132	131	161	158	197	167	165	208	189	4.8	4.6	4.5	5.4	5.1	6.1	5.1	5.0	6.2	5.6
155	Malignant neoplasm of liver and intrahepatic bile ducts	M	861	888	914	897	916	997	979	1 016	1 069	1 094	29.3	30.1	30.6	29.5	29.7	31.0	30.3	31.3	32.7	33.4
		F	258	269	254	264	300	289	285	320	351	330	9.2	9.4	8.7	8.8	9.8	9.0	8.8	9.7	10.5	9.7
162	Malignant neoplasm of trachea, bronchus and lung	M	1 716	1 807	1 882	1 901	1 933	2 009	2 013	2 069	2 151	2 293	58.4	61.3	63.1	62.5	62.7	62.4	62.2	63.7	65.9	70.0
		F	881	954	952	883	902	957	955	1 022	1 017	1 033	31.3	33.4	32.6	29.5	29.4	29.8	29.3	31.0	30.4	30.5
174, 175	Malignant neoplasm of breast	M	2	2	0	4	1	0	2	0	4	3	0.1	0.1	0.0	0.1	< 0.05	0.0	0.1	0.0	0.1	0.1
		F	333	331	313	330	320	376	377	380	395	397	11.8	11.6	10.7	11.0	10.4	11.7	11.6	11.5	11.8	11.7
180	Malignant neoplasm of cervix uteri	F	146	136	144	138	159	134	144	145	159	128	5.2	4.8	4.9	4.6	5.2	4.2	4.4	4.4	4.8	3.8
Residues of 140-208	Other forms of malignant neoplasm	M	1 354	1 348	1 423	1 484	1 520	1 605	1 665	1 762	1 799	1 795	46.1	45.7	47.7	48.8	49.3	49.8	51.5	54.2	55.1	54.8
		F	975	982	1 054	1 045	1 104	1 247	1 245	1 219	1 267	1 367	34.7	34.4	36.1	34.9	35.9	38.8	38.3	37.0	37.9	40.3
140-208	All forms of malignant neoplasm	M	5 397	5 569	5 793	5 856	5 999	6 195	6 423	6 576	6 741	6 943	183.7	189.0	194.2	192.7	194.5	192.4	198.5	202.3	206.5	211.9
		F	3 435	3 452	3 518	3 534	3 681	3 939	3 950	4 115	4 236	4 279	122.1	121.0	120.5	118.0	119.8	122.5	121.4	124.9	126.8	126.3

Notes * Since August 2000, the "resident population" approach has been adopted in place of the "extended de facto" approach for compiling population estimates. Also, the Population Census which was conducted in March 2001 provides a benchmark for revising the population estimates compiled since the 1996 Population By-census. In this table, the population-related figures from 1996 onwards have been revised accordingly.

Figures may not add up to total due to rounding.