

Table A22 : Notification Rate, Number of Deaths, Death Rate and Average Age at Death due to Tuberculosis 1961 to 2006

表A22：一九六一年至二零零六年結核病的呈報率、死亡人數、死亡率及死者平均年齡

Year 年份	Notification Rate (Number of Notifications per 100 000 Population) 呈報率 (按每十萬人口 計算的呈報數字)	Total Deaths from Tuberculosis 結核病致死人數	Tuberculosis Death Rate (Number of Deaths per 100 000 Population) 結核病死亡率 (按每十萬人口 計算的死亡人數)	Average Age at Death from Tuberculosis 結核病死者的 平均年齡
1961	397.2	1 907	60.2	43.0
1966	314.8	1 515	41.7	53.0
1971	223.2	1 250	30.9	57.5
1976	175.5	568	12.6	59.5
1981	149.1	489	9.4	63.0
1982	143.0	454	8.6	63.0
1983	136.6	446	8.3	63.0
1984	145.3	420	7.8	64.5
1985	138.3	409	7.5	65.5
1986	134.5	407	7.4	68.0
1987	130.3	405	7.3	68.5
1988	124.8	388	6.9	69.0
1989	117.9	403	7.1	69.0
1990	114.1	382	6.7	69.0
1991	109.2	409	7.1	69.0
1992	112.6	410	7.1	68.0
1993	110.8	396	6.7	69.0
1994	104.7	409	6.8	71.0
1995	100.9	418	6.8	71.1
1996	101.0 *	292	4.5 *	70.6
1997	109.0 *	252	3.9 *	72.1
1998	117.3 *	270	4.1 *	72.6
1999	113.7 *	312	4.7 *	72.9
2000	113.7 *	299	4.5 *	73.4
2001	108.2 *	311	4.6 *	74.3
2002	97.9 *	267	4.0 *	74.0
2003	89.5 *	275	4.1 *	72.3
2004	91.8 *	286	4.2 *	73.4
2005	90.4 *	271	4.0 *	74.3 †
2006	85.4 *‡	294	4.3 *	73.8

Notes: Notification figures in the table refer to the tuberculosis cases known to the Department of Health.

註：表內所列呈報數字，代表衛生署所知的結核病個案數字。

* The figure is compiled based on the population estimates under the "resident population" approach instead of the "extended de facto" approach.

* 數字是根據以「居住人口」方法取代以「廣義時點」方法所得出的人口估計數字而編製。

† Revised figure.

† 修訂數字。

‡ Provisional figure.

‡ 臨時數字。